

L Number	Hits	Search Text	DB	Time stamp
1	2211	error with (initial adj2 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:36
2	2211	(error with (initial adj2 value)) and (value OR variable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:30
3	971	(error with (initial adj2 value)) and variable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:30
4	119	((error with (initial adj2 value)) and variable) and (program near execut\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:37
5	118	(error with (initial adj2 value)) with variable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:37
7	7	((error with (initial adj2 value)) with variable) and (program near execut\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:37
6	86	(error with (initial adj2 value)) with variable	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:41
8	31	(compiler OR debug\$4) same (execut\$3 near program) same variable same refer\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:46
9	2	((compiler OR debug\$4) same (execut\$3 near program) same variable same refer\$3) and error and (initial adj2 value)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:50
10	4	((compiler OR debug\$4) same (execut\$3 near program) same variable same refer\$3) and (initial adj2 value)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:50
11	0	variable near "is not initialized"	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:51
12	57	variable near un\$1initialized	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:56
13	37	(variable near un\$1initialized) and array	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:56
32	4	(US-6085029-\$ or US-5615369-\$ or US-5675803-\$ or US-6523097-\$).did.	USPAT	2003/09/03 12:29
33	0	((US-6085029-\$ or US-5615369-\$ or US-5675803-\$ or US-6523097-\$).did.) and (array same initialize)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 12:31

34	2	array near2 un\$1initializ\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 12:32
57	14	array same ((error OR error\$1check\$3) near (detect\$3 OR check\$3) same bounds same initializ\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 12:53
58	36	array same (input adj file) same defin\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 12:53
-	0	(initializ\$3 with (dynamic adj variable)) same compiler same object and executable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:29
-	0	(initializ\$3 with (dynamic adj variable)) same compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 07:20
-	0	(initializ\$3 same (dynamic adj variable)) same compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 07:20
-	891	dynamic adj variable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 07:20
-	78	(dynamic adj variable) and compiler	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 07:37
-	27	(source near2 file) and (dynamic near variable) and initializ\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 08:23
-	8	(source near2 file) and (un\$1initialized near (variable OR value)) and (area near3 allocat\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 08:31
-	19	(un\$1initialized near (variable OR value)) and (area near3 allocat\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 08:37
-	84	(set\$3 near2 (initial adj value) same variable) and compil\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 12:27
-	0	63174130.URPN.	USPAT	2003/08/29 09:05
-	0	(dynamic adj variable) same prior same compil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 09:32
-	1	(dynamic adj variable) same (prior OR before) same compil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 09:34

-	40	dynamic with area with specify\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 09:49
-	1	717/140.ccls. and dynamic adj variable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 10:28
-	13	717/140.ccls. and (initializ\$3 near2 variable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 11:10
-	5	717.clas. and (variable with assign with value with temporary)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 11:13
-	779	((assign same temporary same value) OR initializ\$5) and compile\$1 and (input near file)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 11:14
-	464	((assign same temporary same value) OR initializ\$5) and compile\$1 and (input near file)) and dynamic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 11:14
-	10	((assign same temporary same value) OR initializ\$5) and compile\$1 and (input near file)) and dynamic adj variable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 11:29
-	211	717/140.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 11:30
-	89	717/140.ccls. and dynamic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 11:44
-	82	717.clas. and un\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 12:15
-	82	(717.clas. and un\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file))) and compil\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 11:48
-	36	((717.clas. and un\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file))) and compil\$3) and object adj file	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 11:48
-	103	un\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file)) and dynamic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 13:01

-	42	(un\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file)) and dynamic) and temporary	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 12:24
-	4649	variable.ti. and dynamic	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 12:25
-	773	variable.ti. and dynamic.ti.	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 12:27
-	2	(set\$3 near2 (initial adj value) same variable) and un\$1initializ\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 12:27
-	0	62256137.URPN.	USPAT	2003/08/29 12:28
-	13	(initializ\$3 with (dynamic adj variable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 12:48
-	18	(initializ\$5 with (dynamic adj variable))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 12:58
-	1	2002-072160.NRAN.	DERWENT	2003/08/29 12:50
-	1	2002-072160.NRAN.	DERWENT	2003/08/29 12:51
-	0	2001325120.URPN.	USPAT	2003/08/29 12:51
-	13	initialize\$3.ti. and variable\$1.ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 12:58
-	0	non\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file)) and dynamic	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 13:02
-	7	pre\$1initializ\$5 with (value OR variable OR object) and (source adj (code OR file)) and dynamic	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 13:02
-	9	(US-6427234-\$ or US-5764883-\$ or US-5758163-\$ or US-RE38104-\$ or US-6434742-\$ or US-6110227-\$ or US-6477702-\$).did. or (JP-62256137-\$ or JP-63174130-\$).did.	USPAT; JPO	2003/09/02 11:57
-	1	((US-6427234-\$ or US-5764883-\$ or US-5758163-\$ or US-RE38104-\$ or US-6434742-\$ or US-6110227-\$ or US-6477702-\$).did. or (JP-62256137-\$ or JP-63174130-\$).did.) and (integrat\$3 with memory)	USPAT; JPO	2003/09/02 11:57
-	0	((initial\$1value OR (initial adj value)) same enter\$3 same user same variable) and un\$1initialized	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 14:53
-	38	((initial\$1value OR (initial adj value)) same enter\$3 same user same variable)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:06
-	16	(initializ\$3 with variable) same user same enter same value	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:09
-	10	enter same value same before same compiler	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:10

-	150	(user\$1input OR (user adj input)) with variable with value	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:11
-	23	((user\$1input OR (user adj input)) with variable with value) and compile\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:20
-	14	(text adj2 file) with variable with value	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:26
-	4	(before near2 compil\$5) same (initialize OR assign) same variable	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:27
-	6	(pre near2 compil\$5) same (initialize OR assign) same variable	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:29
-	21	debug\$4 with initial with value	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:58
-	143	(initializ\$4 near3 variable) with user	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:38
-	125	(initializ\$4 near3 variable) with user and computer	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:41
-	23	(initializ\$4 near3 variable) with user and computer and compil\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:49
-	4	((input adj file) with compiler) same initializ\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 15:50
-	58	variable with initial with value with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 16:03
-	382	compiler with input with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 16:03
-	177	(compiler with input with file) and configuration	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 16:03
-	14	compiler with input with file same configuration	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 16:16
-	164	initializer with value	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 16:18
-	25	(initializer with value) and compiler	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 16:25

-	1	initializing adj process same compiler	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 16:54
-	3720	"information processing apparatus".ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 16:57
-	6	"information processing apparatus".ti. and takahara	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 17:10
-	0	pre\$1initialized same variable same error same access	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 17:10
-	0	pre\$1initialized same variable same error	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 17:11
-	9	pre\$1initialized same variable	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 17:21
-	1	error same notice same variable same already same initialized	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 17:22